4'3" WIDE COMPACT

Unlimited Lengths from 4'5"

For such a small building the Compact is packed with many features found on larger models, such as Double Doors and Elite's low threshold for easier access making this such a popular choice. If your growing space is limited, then the Compact offers a surprisingly spacious environment with an eaves height of 5' $1\frac{1}{2}$ ", and is an ideal building for the beginner.

All of our accessories are compatible with this model and package deals are available helping you increase the growing potential without breaking your budget.



Compact 4'x4' (Nominal), Integral Base, Alloy, Full Sheet Toughened Glass

THE COMPACT'S FRAME ACCOMMODATES SUPER STRENGTH DIAMOND INTEGRAL STAGING FOR A CLUTTER FREE, ELEGANT AND PRACTICAL WORKING AREA.

STANDARD FEATURES











POWDER COATED

Green

White

Black

Olive

Graphite

Brown

Berry

Stone

Terracotta

RECOMMENDED ACCESSORIES







Unlimited Lengths from 4'5"

The Maxim is ideal if your growing space is limited. One of the key differences compared to the Compact is the additional 7" of roof height, which can allow for a third shelf to be fitted and, together with taller doors, the result is a larger growing space.

As standard are the double doors and low threshold along with cantilever bracing for extra strength, a superb upgrade especially if the building is sited in a location more exposed to the elements. Package deals are available for this model making it one of the best performing greenhouses in the marketplace at this size.



STANDING 5'8" HIGH AT THE EAVES GIVES YOU EXTRA GROWING SPACE.

STANDARD FEATURES





LOW THRESHOLD





CANTILEVER

MAXIM ONLY

GLAZING Horticultural Glass

Toughened Safety Glass

P6mm Twin Wall Polycarbonate



PACKAGES AVAILABLE

GLAZING MATERIAL



HORTICULTURAL GLASS:

Available in 3mm thick overlapping glass sheets.



TOUGHENED SAFETY GLASS:

In the event of a breakage, the glass granulates removing any danger of injury. Elite only use Grade A toughened glass to Standard EN12150 which is primarily in full length sheets providing a neater finish, especially with bar capping, and removes any overlapping glass where algae and moss can often be a problem.



POLYCARBONATE:

UVI treated, twin wall with silvered edges and, like the toughened safety glass, it comes in full sheets and is a great option where children and pets are concerned. Elite offer 6mm thick on every model with the exception of the iGro which is 4mm.

Remember, when handling any type of glass the upmost care must be taken as it is extremely fragile when not in situ. Always protect your hands and eyes when handling glass and we advise that safety gloves and goggles are worn.

BAR CAPPING

Bar Capping provides a stronger hold for the glazing and adds a decorative finish to any greenhouse. The rubber fin also adds a better water seal between the frame and glass. Capping is used in addition to wire clips so in effect will add double protection which is ideal in more exposed areas.

The capping is simply screwed into position using colour coded screws which do not leave any unsightly silver screw heads on show.

Not recommended with overlapping glass.





GREEN



GRAPHITE

BROWN

TERRACOTTA


WHITE

OLIVE

BERRY

STONE





POWDER COATING

- High class, hard wearing, professional powder coated finish
- Available in nine attractive colours Green, Graphite, Black, White, Brown or Terracotta
- Co-ordinate with your garden environment
- Has been thoroughly tried and tested and has been available to Elite customers for over 20 years
- Environmentally friendly way of applying colour to aluminium unlike wet paint which requires the use of solvents
- Most aluminium accessories can also be powder coated to suit your greenhouse
- A good depth of colour
- The frame is resistant to corrosion, UV degradation and offers a life expectancy in excess of 25 years
- All Elite's frames are individually wrapped in polythene and labelled for added protection during transportation and storage
- Elite provide nut caps with all powder coated models and accessories to give a nice, clean, professional finish to your product by covering up any unsightly nuts and bolts.











BASES

THE MOST POPULAR METHOD IS TO LAY A LEVEL FLAGGED AREA.

Please remember to build your slabs slightly bigger than the greenhouse size, as this gauge is only nominal and the product is actually a few inches bigger. For example, for an 8'x6' greenhouse you might want to consider a slab area of 10'x8' as this will allow you to position water barrels and will also allow enough room to get around the greenhouse to clean and maintain.



SOFT GROUND

The majority of greenhouses are constructed onto a solid foundation however if your greenhouse is being constructed onto soil or grass, persistent stepping on the door cill will cause damage as it will naturally follow the contour of the ground. A hard support, such as flags, must be fitted under the cill and Elite recommend using their soft soil support which allows the door(s) to run in the track.

Hard or soft surface, Elite provide, as standard, both options to anchor the base down.





FREE STANDING GREENHOUSE UP TO 8' WIDE

Elite, as standard, offer only aluminium bases which are an integral part of the framework giving additional strength - the stronger the base the better! Elite only supply bases made from aluminium therefore removing the fear of rust, rot or warping. Due to the fact Elite's aluminium bases are an integral part of the framework, this has allowed us to manufacture a low threshold door which also means the door(s) are taller. As standard the door(s) are "dropped" into the base providing a ground level threshold allowing easy access for the user. *Please note a base is not required on the iGro or GX range*.







CONSTRUCTION

Every Elite comes with its own set of comprehensive instructions. The level of difficulty assembling each model depends solely upon the competence of the individual. For most sized greenhouses, depending upon ability, speed and helpers available to you, a building can be completed within a weekend. However, we recommend you take your time in constructing your greenhouse, plan each stage of the build and follow the instructions carefully.

Anyone with a reasonable level of practical ability can construct an Elite easily, however, the majority of garden centres operate a construction service in the event of you preferring it to be done for you. This offers peace of mind that the product has been assembled correctly.

Tools needed:

Step ladders, M6 - M10 Spanner, Pozi Drive screwdriver, Gloves, Goggles





For additional guidance during construction visit our website and watch our helpful video tutorials. www.elite-greenhouses.co.uk

WHERE TO BUY

Today's budding gardeners and enthusiasts have many avenues available to them with regards to sourcing an Elite product. We, as the manufacturer, do not sell direct to the general public, but instead supply garden centres and garden building outlets across the UK. Many dealers appear in magazines, flower shows and on the internet and offer show sites where you can actually go and view a fully constructed product.


If you are unsure where to begin, then simply contact us directly on 01204 791488 or email us at enquiries@elite-greenhouses.co.uk One of our staff will be more than happy to provide you with details of your local suppliers.




TECHNICAL INFO

Long lengths are available on every model listed.

Please contact your supplier for a base plan for any size or modification (Drop Door, Dwarf Wall, Partition etc.) not listed on this page.





When constructing a wall please only build your brick base once you have an official base plan from Elite.

Exact base dimensions for Elite range (where required). The following measurements are external dimensions... Please note the width at the gutter is wider than the base.

Nominal Size (ft)	Model Name	A (mm)	B (mm)	C (mm)	E (mm)	F (mm)	Door Height x Width	Single Door	Double Door	Base	Low Threshold Door	Roof Vents	Louvre Vents	Shelf	Bar Capping	Crestings & Finials	Partition	Dwarf Wall
4 x 4	Compact	1300	1351	1874	1553	2122	Double		•		•	1	0	0	0	0		0
6 x 4	Compact	1300	1971	2361	with	with	1750 x 600		•	BIB	•	1	0	0	0	0		0
8 x 4	Compact	1300	2589	2897	BIB	BIB			•		•	1	0	0	0	0		0
4 x 4	Maxim	1300	1351	1874	1726	2300	Double		•		•	1	0	0	0	0		0
6 x 4	Maxim	1300	1971	2361	with	with	1910 x 600		•	BIB	•	1	0	0	0	0		0
8 x 4	Maxim	1300	2589	2897	BIB	BIB	1510 x 000		•		•	1	0	0	0	0		0
4 x 5	Streamline	1590	1351	2086	1425	2122			•	• BIB	•	1	0	0	0	0		0
6 x 5	Streamline	1590	1971	2532	with		Double 1750 x 600		•		•	1	0	0	0	0		0
8 x 5	Streamline	1590	2589	3038	BIB	BIB	1750 X 600		•		•	1	0	0	0	0		0
4 x 5	Delta	1590	1351	2086	1726	2420			•		•	1	0	0	0	0		0
6 x 5	Delta	1590	1971	2532	with	with	Double		•	BIB	•	1	0	0	0	0		0
8 x 5	Delta	1590	2589	3038	BIB	BIB	1910 x 600		•		•	1	0	0	0	0		0
4 x 6	iGro	1915	1363	2348				•			•	1		0				
6 x 6	iGro	1915	1981	2753	1350	2180	Single	•		No Base	•	1		0				
8 x 6	iGro	1915	2600	3228	.000	2.00	1750 x 600	•		required	•	1		0				
4 x 6	Craftsman	1900	1351	2331				•			•	1	0	0	0	0		0
6 x 6	Craftsman	1900	1971	2737	1292	2122		•			•	1	0	0	0	0		0
8 x 6	Craftsman	1900	2589	3211	with	with	Single 1750 x 600	•		BIB	•	2	0	0	0	0		0
10 x 6	Craftsman	1900	3205	3725	BIB	BIB		•			•	2	0	0	0	0		0
12 x 6	Craftsman	1900	3823	4269				•			•	2	0	0	0	0		0
4 x 6	High Eave	1900	1351	2331				•			•	1	0	0	0	0	0	0
6 x 6	High Eave	1900	1971	2737	1585 2420 with with	2420	Single 1910 x 600			BIB	-	1	0	0	0	0	0	0
8 x 6	High Eave	1900	2589	3211		with					•	2	0	0	0	0	0	0
10 x 6	High Eave	1900	3205	3725	BIB	BIB					•	2	0	0	0	0	0	ō
12 x 6	High Eave	1900	3823	4269							•	2	0	0	0	0	0	0
4 x 6	Strata	1900	1351	2331					•		•	1	0	0	0	0	0	0
6 x 6	Strata	1900	1971	2737	1585	2420			•	BIB	•	1	0	0	0	0	0	0
8 x 6	Strata	1900	2589	3211	with	with	Double 1910 x 840		•		•	2	0	0	0	0	0	0
10 x 6	Strata	1900	3205	3725	BIB	BIB			•		•	2	0	0	0	0	0	0
12 x 6	Strata	1900	3823	4269					•		•	2	0	0	0	0	0	0
4 x 6	GX600	1936	1373	2373					•		•	1	2		•	0	0	0
6 x 6	GX600	1936	1993	2779						No Base required	•	1	2	6'	•	0	0	0
8 x 6	GX600	1936	2611	3250	1631	2470	Double					2	2	Diamond	•	0	0	0
10 x 6	GX600	1936	3227	3763			1910 x 840		•		•	2	2	Shelf	•	0	0	0
12 x 6	GX600	1936	3845	4305					•		•	2	2		•	0	0	0
4 x 6	Thyme 6 - Floor	1900	1351	2331					•		•	1	2		0	•	0	0
6 x 6	Thyme 6 - Floor	1900	1971	2737	1585	2420	Davida		•		•	1	2	6'	0	•	0	0
8 x 6	Thyme 6 - Floor	1900	2589	3211	with	with	Double 1910 x 600		•	BIB	•	2	2	Diamond	0	•	0	0
10 x 6	Thyme 6 - Floor	1900	3205	3725	BIB	BIB	1310 x 000		•		•	2	2	Shelf	0	•	0	0
12 x 6	Thyme 6 - Floor	1900	3823	4269					•		•	2	2		0	•	0	0
6 x 6	Titan 600	1900	1971	2737	48				•		•	1	1	0	•	0	0	0
8 x 6	Titan 600	1900	2589	3211	1585	2420	Double		•	DID	•	2	1	0	•	0	0	0
10 x 6	Titan 600	1900	3205	3725	with BIB	with BIB	1910 x 840		•	BIB	•	2	1	0	•	0	0	0
12 x 6	Titan 600	1900	3823	4269	טוט	טוט			•		•	2	1	0	•	0	0	0
6 x 7	Vantage	2225	1971	2972					•		•	1	0	0	0	0	0	0
8 x 7	Vantage	2225	2589	3413					•		•	2	0	0	0	0	0	0
10 x 7	Vantage	2225	3205	3901	1505	0770			•		•	2	0	0	0	0	0	0
12 x 7	Vantage	2225	3823	4423	1585 with	2370 with	Double		•	BIB	•	2	0	0	0	0	0	0
14 x 7	Vantage	2225	4441	4967	BIB	BIB	1910 x 890		•	DID	•	3	0	0	0	0	0	0
16 x 7	Vantage	2225	5059	5526					•		•	4	0	0	0	0	0	0
18 x 7	Vantage	2225	5677	6097					•		•	5	0	0	0	0	0	0
20 x 7	Vantage	2225	6295	6676					•		•	6	0	0	0	0	0	0

COMPACT: 4'3" Wide

BASIC MODEL OPTIONS			A Integral			Powder Coated Options are extra			
Size Length x Width	Roof Vents	Standard Door	With Horticultural Glass	With Toughened Safety Glass	With 6mm Twin wall Polycarbonate	Bar Capping	Hybrid Panels (coloured)	<u>GREEN</u> <u>ONLY</u>	ALL OTHER ELITE COLOURS
2'3" x 4'3"	0		€694	€827	€853	€104	€104	€194	€215
4′5″ x 4′3″	1		€735	€881	€978	€126	€240	€230	€256
6′5″ x 4′3″	1		€765	€922	€1,097	€148	€305	€263	€291
8′5″ x 4′3″	1		€817	€1,008	€1,200	€162	€371	€286	€319
10'5" x 4'3"	2	Double	€944	€1,144	€1,396	€179	€436	€428	€476
12'6" x 4'3"	2	Drop Doors	€1,071	€1,303	€1,589	€194	€499	€540	€601
14'6" x 4'3"	3	D0013	€1,206	€1,465	€1,747	€211	€565	€661	€734
16'6" x 4'3"	3		€1,351	€1,637	€1,953	€230	€630	€777	€863
18'6" x 4'3"	4		€1,518	€1,848	€2,181	€245	€693	€930	€1,033
20'6" x 4'3"	4		€1,684	€2,042	€2,410	€262	€758	€1,076	€1,195
Extra double doors in the rear end			€125	€125	€125	€32	1	€62	€71
Soft Soil Support				€9		1	1	€8	€9
R-TYPE			-€39	-€65	-€88	-€17		-€43	-€47

COMPACT PACKAGE

INCLUDES AS STANDARD

Integral aluminium base with dropped doors Double Dropped Doors At least one roof vent Integral Gutters

PACKAGE EXTRAS

Diamond shelf to length - 2 slat
Diamond staging to length - 3 slat
One 5 blade louvre
One automatic roof vent opener
One automatic louvre opener
Standard rainwater collection kit
Grow Hooks (6)

Powder CoatedOptions are extra

Size Length x Width	Roof Vents	Standard Door	With Horticultural Glass	With Toughened Safety Glass
4′5″ x 4′3″	1	D 11	€974	€1,120
6′5″ x 4′3″	1	Double Drop	€1,032	€1,191
8′5″ x 4′3″	1	Door	€1,120	€1,312
10'5" x 4'3"	2	Door	€1,286	€1,488

<u>GREEN</u> <u>ONLY</u>	ALL OTHER ELITE COLOURS
€323	€359
€377	€420
€426	€474
€598	€665

MAXIM: 4'3" Wide

BASIC MODEL OPTIONS			A Integral			Powder Coated Options are extra			
Size Length x Width	Roof Vents	Standard Door	With Horticultural Glass	With Toughened Safety Glass	With 6mm Twin wall Polycarbonate	Bar Capping	Hybrid Panels (coloured)	GREEN ONLY	ALL OTHER ELITE COLOURS
2'3" x 4'3" NOT ERFE STANDING	0		€746	€905	€965	€102	€93	€217	€241
4′5″ x 4′3″	1		€787	€954	€1,064	€116	€213	€258	€288
6′5″ x 4′3″	1		€823	€1,004	€1,193	€138	€271	€293	€325
8′5″ x 4′3″	1	Davidsla	€894	€1,101	€1,308	€155	€329	€329	€366
10'5" x 4'3"	2	Double Drop	€1,030	€1,249	€1,523	€170	€387	€478	€532
12'6" x 4'3"	2	Doors	€1,172	€1,426	€1,736	€191	€443	€596	€663
14'6" x 4'3"	3	D0013	€1,286	€1,598	€1,904	€208	€502	€732	€811
16'6" x 4'3"	3		€1,437	€1,783	€2,132	€223	€560	€867	€964
18'6" x 4'3"	4		€1,615	€2,007	€2,375	€242	€616	€1,038	€1,154
20'6" x 4'3"	4		€1,788	€2,214	€2,621	€264	€674	€1,201	€1,335
Extra double doors in the rear end			€136	€136	€136	€32	1	€67	€73
Soft Soil Support			€10	€10	€10		/	€8	€9
R-TYPE			-€41	-€71	-€95	-€17		-€47	-€52

MAXIM PACKAGE

INCLUDES AS STANDARD

Integral aluminium base with dropped doors Double Dropped Doors At least one roof vent Integral Gutters

PACKAGE EXTRAS

Diamond shelf to length - 2 slat Diamond staging to length - 3 slat One 5 blade louvre One automatic roof vent opener One automatic louvre opener Standard rainwater collection kit Grow Hooks (6)

Powder CoatedOptions are extra

Size Length x Width	Roof Vents	Standard Door	With Horticultural Glass	With Toughened Safety Glass
4′5″ x 4′3″	1	-	€1,028	€1,196
6′5″ x 4′3″	1	Double Drop	€1,090	€1,271
8′5″ x 4′3″	1	Door	€1,196	€1,404
10'5" x 4'3"	2	2001	€1,372	€1,592

<u>GREEN</u> <u>ONLY</u>	ALL OTHER ELITE COLOURS
€353	€394
€407	€452
€469	€521
€650	€723