

5'3" WIDE STREAMLINE

Unlimited Lengths from 4'5"

The long established Streamline by Elite remains a popular choice amongst growers with big aspirations from their smaller gardens or courtyards.

With large growing areas easily able to accommodate a combination of accessories, shelving and staging, together with the double doors and low threshold access, which are fitted as standard, superb performance is easily achieved from a 5' 3" footprint.




Streamline 6'x5' (Nominal), Integral Base, Olive, Full Sheet Toughened Glass

THE STREAMLINE'S FRAME ACCOMMODATES SUPER STRENGTH DIAMOND INTEGRAL STAGING FOR A CLUTTER FREE, ELEGANT AND PRACTICAL WORKING AREA.

STANDARD FEATURES



GUTTER



LOCKABLE



DOOR HANDLE












INTEGRAL BASE




EAVES CORNER

POWDER COATED

- | | |
|--|---|
|  Green |  White |
|  Black |  Olive |
|  Graphite |  Berry |
|  Brown |  Stone |
|  Terracotta | |

RECOMMENDED ACCESSORIES



2 SLAT DIAMOND SHELF



5 SLAT DIAMOND STAGING

5'3" WIDE DELTA

Unlimited Lengths from 4'5"

15

Thanks to the additional 11" of roof height, the Elite Delta pushes the boundaries of what can be achieved from a 5' 3" greenhouse. With much more room, taller and bigger produce and accessories can easily be housed and the standard feature of double doors and low threshold access help increase the potential.

Our cantilever braces, again fitted as standard, offer extra strength making it an ideal choice for an environment exposed to the elements.



Delta 6'x5' (Nominal), Integral Base, Terracotta, Full Sheet Toughened Glass

STANDING 5'8" HIGH AT THE EAVES GIVES YOU EXTRA GROWING SPACE.

STANDARD FEATURES

DELTA ONLY



DOUBLE DOORS



LOW THRESHOLD



HIGH TENSILE
NUTS & BOLTS



CANTILEVER

GLAZING

- H** Horticultural Glass
- T** Toughened Safety Glass
- P** 6mm Twin Wall Polycarbonate



ROOF VENT

PACKAGES
AVAILABLE
see p6 for
details

GLAZING MATERIAL



HORTICULTURAL GLASS:

Available in 3mm thick overlapping glass sheets.



TOUGHENED SAFETY GLASS:

In the event of a breakage, the glass granulates removing any danger of injury. Elite only use Grade A toughened glass to Standard EN12150 which is primarily in full length sheets providing a neater finish, especially with bar capping, and removes any overlapping glass where algae and moss can often be a problem.



POLYCARBONATE:

UVI treated, twin wall with silvered edges and, like the toughened safety glass, it comes in full sheets and is a great option where children and pets are concerned. Elite offer 6mm thick on every model with the exception of the iGro which is 4mm.


Remember, when handling any type of glass the utmost care must be taken as it is extremely fragile when not in situ. Always protect your hands and eyes when handling glass and we advise that safety gloves and goggles are worn.

BAR CAPPING

Bar Capping provides a stronger hold for the glazing and adds a decorative finish to any greenhouse. The rubber fin also adds a better water seal between the frame and glass. Capping is used in addition to wire clips so in effect will add double protection which is ideal in more exposed areas.

The capping is simply screwed into position using colour coded screws which do not leave any unsightly silver screw heads on show.

Not recommended with overlapping glass.



GREEN

BLACK

GRAPHITE

BROWN


TERRACOTTA

WHITE

OLIVE



BERRY

STONE



POWDER COATING

- High class, hard wearing, professional powder coated finish
- Available in nine attractive colours - Green, Graphite, Black, White, Brown or Terracotta
- Co-ordinate with your garden environment
- Has been thoroughly tried and tested and has been available to Elite customers for over 20 years
- Environmentally friendly way of applying colour to aluminium unlike wet paint which requires the use of solvents
- Most aluminium accessories can also be powder coated to suit your greenhouse
- A good depth of colour
- The frame is resistant to corrosion, UV degradation and offers a life expectancy in excess of 25 years
- All Elite's frames are individually wrapped in polythene and labelled for added protection during transportation and storage
- Elite provide nut caps with all powder coated models and accessories to give a nice, clean, professional finish to your product by covering up any unsightly nuts and bolts.



Green




Black



Graphite



Brown



Terracotta



White



Olive



Berry



Stone

BASES

THE MOST POPULAR METHOD IS TO LAY A LEVEL FLAGGED AREA.

Please remember to build your slabs slightly bigger than the greenhouse size, as this gauge is only nominal and the product is actually a few inches bigger. For example, for an 8'x6' greenhouse you might want to consider a slab area of 10'x8' as this will allow you to position water barrels and will also allow enough room to get around the greenhouse to clean and maintain.



SOFT GROUND

The majority of greenhouses are constructed onto a solid foundation however if your greenhouse is being constructed onto soil or grass, persistent stepping on the door cill will cause damage as it will naturally follow the contour of the ground. A hard support, such as flags, must be fitted under the cill and Elite recommend using their soft soil support which allows the door(s) to run in the track.

Hard or soft surface, Elite provide, as standard, both options to anchor the base down.



FREE STANDING GREENHOUSE UP TO 8' WIDE

Elite, as standard, offer only aluminium bases which are an integral part of the framework giving additional strength - the stronger the base the better! Elite only supply bases made from aluminium therefore removing the fear of rust, rot or warping. Due to the fact Elite's aluminium bases are an integral part of the framework, this has allowed us to manufacture a low threshold door which also means the door(s) are taller. As standard the door(s) are "dropped" into the base providing a ground level threshold allowing easy access for the user. **Please note a base is not required on the iGro or GX range.**



CONSTRUCTION

Every Elite comes with its own set of comprehensive instructions. The level of difficulty assembling each model depends solely upon the competence of the individual. For most sized greenhouses, depending upon ability, speed and helpers available to you, a building can be completed within a weekend. However, we recommend you take your time in constructing your greenhouse, plan each stage of the build and follow the instructions carefully.

Anyone with a reasonable level of practical ability can construct an Elite easily, however, the majority of garden centres operate a construction service in the event of you preferring it to be done for you. This offers peace of mind that the product has been assembled correctly.

Tools needed:

Step ladders, M6 – M10 Spanner, Pozi Drive screwdriver, Gloves, Goggles



For additional guidance during construction visit our website and watch our helpful video tutorials.
www.elite-greenhouses.co.uk

WHERE TO BUY

Today's budding gardeners and enthusiasts have many avenues available to them with regards to sourcing an Elite product. We, as the manufacturer, do not sell direct to the general public, but instead supply garden centres and garden building outlets across the UK. Many dealers appear in magazines, flower shows and on the internet and offer show sites where you can actually go and view a fully constructed product.


If you are unsure where to begin, then simply contact us directly on 01204 791488 or email us at enquiries@elite-greenhouses.co.uk. One of our staff will be more than happy to provide you with details of your local suppliers.



TECHNICAL INFO

Long lengths are available on every model listed.

Please contact your supplier for a base plan for any size or modification (Drop Door, Dwarf Wall, Partition etc.) not listed on this page.



When constructing a wall please only build your brick base once you have an official base plan from Elite.

Exact base dimensions for Elite range (where required). The following measurements are external dimensions... Please note the width at the gutter is wider than the base.

Nominal Size (ft)	Model Name	A (mm)	B (mm)	C (mm)	E (mm)	F (mm)	Door Height x Width	Single Door	Double Door	Base	Low Threshold Door	Roof Vents	Louvre Vents	Shelf	Bar Capping	Crestings & Finials	Partition	Dwarf Wall		
4 x 4	Compact	1300	1351	1874	1553	2122	Double 1750 x 600		●	BIB	●	1	○	○	○	○		○		
6 x 4	Compact	1300	1971	2361	with BIB	with BIB		●	1		○	○	○	○	○	○		○		
8 x 4	Compact	1300	2589	2897	BIB	BIB		●	1		○	○	○	○	○	○		○		
4 x 4	Maxim	1300	1351	1874	1726	2300	Double 1910 x 600		●	BIB	●	1	○	○	○	○		○		
6 x 4	Maxim	1300	1971	2361	with BIB	with BIB		●	1		○	○	○	○	○	○		○		
8 x 4	Maxim	1300	2589	2897	BIB	BIB		●	1		○	○	○	○	○	○		○		
4 x 5	Streamline	1590	1351	2086	1425	2122	Double 1750 x 600		●	BIB	●	1	○	○	○	○		○		
6 x 5	Streamline	1590	1971	2532	with BIB	with BIB		●	1		○	○	○	○	○	○		○		
8 x 5	Streamline	1590	2589	3038	BIB	BIB		●	1		○	○	○	○	○	○		○		
4 x 5	Delta	1590	1351	2086	1726	2420	Double 1910 x 600		●	BIB	●	1	○	○	○	○		○		
6 x 5	Delta	1590	1971	2532	with BIB	with BIB		●	1		○	○	○	○	○	○		○		
8 x 5	Delta	1590	2589	3038	BIB	BIB		●	1		○	○	○	○	○	○		○		
4 x 6	iGro	1915	1363	2348	1350	2180	Single 1750 x 600	●		No Base required	●	1		○						
6 x 6	iGro	1915	1981	2753				●	1		○									
8 x 6	iGro	1915	2600	3228				●	1		○									
4 x 6	Craftsman	1900	1351	2331	1292 with BIB	2122 with BIB	Single 1750 x 600	●		BIB	●	1	○	○	○	○		○		
6 x 6	Craftsman	1900	1971	2737				●	1		○	○	○	○	○	○		○		
8 x 6	Craftsman	1900	2589	3211				●	2		○	○	○	○	○	○		○		
10 x 6	Craftsman	1900	3205	3725				●	2		○	○	○	○	○	○		○		
12 x 6	Craftsman	1900	3823	4269				●	2		○	○	○	○	○	○		○		
4 x 6	High Eave	1900	1351	2331	1585 with BIB	2420 with BIB	Single 1910 x 600	●		BIB	●	1	○	○	○	○	○	○		
6 x 6	High Eave	1900	1971	2737				●	1		○	○	○	○	○	○		○		
8 x 6	High Eave	1900	2589	3211				●	2		○	○	○	○	○	○		○		
10 x 6	High Eave	1900	3205	3725				●	2		○	○	○	○	○	○		○		
12 x 6	High Eave	1900	3823	4269				●	2		○	○	○	○	○	○		○		
4 x 6	Strata	1900	1351	2331	1585 with BIB	2420 with BIB	Double 1910 x 840		●	BIB	●	1	○	○	○	○	○	○		
6 x 6	Strata	1900	1971	2737				●	1		○	○	○	○	○	○		○		
8 x 6	Strata	1900	2589	3211				●	2		○	○	○	○	○	○		○		
10 x 6	Strata	1900	3205	3725				●	2		○	○	○	○	○	○		○		
12 x 6	Strata	1900	3823	4269				●	2		○	○	○	○	○	○		○		
4 x 6	GX600	1936	1373	2373	1631	2470	Double 1910 x 840		●	No Base required	●	1	2	6' Diamond Shelf	●	○	○	○		
6 x 6	GX600	1936	1993	2779				●	1		2	●	○		○	○				
8 x 6	GX600	1936	2611	3250				●	2		2	●	○		○	○				
10 x 6	GX600	1936	3227	3763				●	2		2	●	○		○	○				
12 x 6	GX600	1936	3845	4305				●	2		2	●	○		○	○				
4 x 6	Thyme 6 - Floor	1900	1351	2331	1585 with BIB	2420 with BIB	Double 1910 x 600		●	BIB	●	1	2	6' Diamond Shelf	○	●	○	○		
6 x 6	Thyme 6 - Floor	1900	1971	2737				●	1		2	○	●		○	○				
8 x 6	Thyme 6 - Floor	1900	2589	3211				●	2		2	○	●		○	○				
10 x 6	Thyme 6 - Floor	1900	3205	3725				●	2		2	○	●		○	○				
12 x 6	Thyme 6 - Floor	1900	3823	4269				●	2		2	○	●		○	○				
6 x 6	Titan 600	1900	1971	2737	1585 with BIB	2420 with BIB	Double 1910 x 840		●	BIB	●	1	1	○	●	○	○	○		
8 x 6	Titan 600	1900	2589	3211				●	2		1	○	●	○	○	○				
10 x 6	Titan 600	1900	3205	3725				●	2		1	○	●	○	○	○				
12 x 6	Titan 600	1900	3823	4269				●	2		1	○	●	○	○	○				
6 x 7	Vantage	2225	1971	2972	1585 with BIB	2370 with BIB	Double 1910 x 890		●	BIB	●	1	○	○	○	○	○	○		
8 x 7	Vantage	2225	2589	3413				●	2		○	○	○	○	○	○				
10 x 7	Vantage	2225	3205	3901				●	2		○	○	○	○	○	○				
12 x 7	Vantage	2225	3823	4423				●	2		○	○	○	○	○	○				
14 x 7	Vantage	2225	4441	4967				●	3		○	○	○	○	○	○				
16 x 7	Vantage	2225	5059	5526				●	4		○	○	○	○	○	○				
18 x 7	Vantage	2225	5677	6097				●	5		○	○	○	○	○	○				
20 x 7	Vantage	2225	6295	6676				●	6		○	○	○	○	○	○				

STREAMLINE: 5'3" Wide

BASIC MODEL OPTIONS

BASIC MODEL OPTIONS			Aluminium frame, Integral base with drop door(s)					Powder Coated Options are extra	
Size Length x Width	Roof Vents	Standard Door	With Horticultural Glass	With Toughened Safety Glass	With 6mm Twin wall Polycarbonate	Bar Capping	Hybrid Panels (coloured)	GREEN ONLY	ALL OTHER ELITE COLOURS
2'3" x 5'3" <small>NOT FREE STANDING</small>	0	Double Drop Doors	€703	€853	€907	€104	€105	€207	€228
4'5" x 5'3"	1		€748	€914	€1,041	€126	€239	€243	€271
6'5" x 5'3"	1		€782	€965	€1,168	€148	€297	€273	€304
8'5" x 5'3"	1		€836	€1,041	€1,303	€162	€355	€321	€357
10'5" x 5'3"	2		€987	€1,202	€1,465	€179	€411	€461	€512
12'6" x 5'3"	2		€1,103	€1,359	€1,626	€194	€469	€573	€635
14'6" x 5'3"	3		€1,236	€1,525	€1,824	€211	€527	€678	€753
16'6" x 5'3"	3		€1,385	€1,701	€2,039	€230	€583	€803	€891
18'6" x 5'3"	4		€1,549	€1,893	€2,265	€245	€641	€956	€1,063
20'6" x 5'3"	4		€1,742	€2,106	€2,513	€262	€700	€1,109	€1,231
Extra double doors in the rear end			€125	€125	€125	€32	/	€62	€71
Soft Soil Support			€15				/	€12	€13
R-TYPE			-€43	-€73	-€95	-€19		-€50	-€56

STREAMLINE PACKAGE

INCLUDES AS STANDARD

Integral aluminium base with dropped doors
 Double Dropped Doors
 At least one roof vent
 Integral Gutters

PACKAGE EXTRAS

Diamond shelf to length - 2 slat
 Diamond staging to length - 5 slat
 One 5 blade louvre
 One automatic roof vent opener
 One automatic louvre opener
 Standard rainwater collection kit
 Grow Hooks (6)

Powder Coated Options are extra

Size Length x Width	Roof Vents	Standard Door	With Horticultural Glass	With Toughened Safety Glass	GREEN ONLY	ALL OTHER ELITE COLOURS
4'5" x 5'3"	1	Double Drop Door	€1,008	€1,174	€351	€392
6'5" x 5'3"	1		€1,075	€1,258	€407	€452
8'5" x 5'3"	1		€1,170	€1,376	€484	€538
10'5" x 5'3"	2		€1,374	€1,592	€663	€736

DELTA: 5'3" Wide

BASIC MODEL OPTIONS

BASIC MODEL OPTIONS			Aluminium frame, Integral base with drop door(s)					Powder Coated Options are extra		
Size Length x Width	Roof Vents	Standard Door	With Horticultural Glass	With Toughened Safety Glass	With 6mm Twin wall Polycarbonate	Bar Capping	Hybrid Panels (coloured)	GREEN ONLY	ALL OTHER ELITE COLOURS	
2'3" x 5'3" <small>NOT FREE STANDING</small>	0	Double Drop Doors	€763	€937	€1,013	€102	€105	€239	€265	
4'5" x 5'3"	1		€806	€998	€1,142	€116	€239	€273	€306	
6'5" x 5'3"	1		€855	€1,054	€1,280	€138	€297	€310	€344	
8'5" x 5'3"	1		€931	€1,137	€1,426	€155	€355	€362	€403	
10'5" x 5'3"	2		€1,081	€1,318	€1,613	€170	€411	€519	€575	
12'6" x 5'3"	2		€1,213	€1,490	€1,792	€191	€469	€644	€715	
14'6" x 5'3"	3		€1,333	€1,667	€2,001	€208	€527	€756	€842	
16'6" x 5'3"	3		€1,495	€1,856	€2,220	€223	€583	€895	€994	
18'6" x 5'3"	4		€1,676	€2,087	€2,502	€242	€641	€1,068	€1,186	
20'6" x 5'3"	4		€1,854	€2,298	€2,760	€264	€700	€1,236	€1,373	
Extra double doors in the rear end			€136	€136	€136	€32	/	€67	€73	
Soft Soil Support						€15	/	/	€11	€13
R-TYPE			-€47	-€77	-€101	-€17		-€54	-€60	

DELTA PACKAGE

INCLUDES AS STANDARD

Integral aluminium base with dropped doors
 Double Dropped Doors
 At least one roof vent
 Integral Gutters

PACKAGE EXTRAS

Diamond shelf to length - 2 slat
 Diamond staging to length - 5 slat
 One 5 blade louvre
 One automatic roof vent opener
 One automatic louvre opener
 Standard rainwater collection kit
 Grow Hooks (6)

Powder Coated Options are extra

Size Length x Width	Roof Vents	Standard Door	With Horticultural Glass	With Toughened Safety Glass	GREEN ONLY	ALL OTHER ELITE COLOURS
4'5" x 5'3"	1	Double Drop Door	€1,066	€1,256	€252	€424
6'5" x 5'3"	1		€1,148	€1,346	€439	€489
8'5" x 5'3"	1		€1,264	€1,473	€525	€583
10'5" x 5'3"	2		€1,471	€1,708	€721	€801